

A full-page background image of an astronaut in a white spacesuit floating in space. The Earth's blue and white horizon is visible in the upper left. The astronaut's helmet visor reflects a green emergency exit sign. The overall lighting is dramatic, with a strong blue glow from the Earth's horizon.

THORN

LIGHTING

**EMERGENCY
LIGHTING**

2025

LIGHT THAT SAFELY GUIDES


WE MAKE LIGHT WORK



WHY CHOOSE THORN EMERGENCY LIGHTING?

The purpose of emergency lighting is to allow people to make their way safely out of buildings in the event of an emergency, for example during a black out. In these situations, lighting can save lives and keep people calm. It goes without saying that emergency lighting must comply with all relevant rules and regulations. But the best emergency lighting goes further, incorporating flexible luminaires with ease of installation and maintenance, long life and energy efficiency. Thorn's 95 years of experience and reputation for quality are your guarantee of an optimal emergency lighting solution.

SAFETY, SIMPLICITY AND PERFORMANCE



UNIVERSAL MOUNTING

A variety of mounting options for ceilings and walls, so luminaires fit into any architectural setting




FLEXIBILITY OF APPLICATION

Many Thorn safety luminaires can also be used as illuminated safety sign luminaires, giving customers maximum flexibility



HIGH EFFICIENCY

The latest LED technology contributes to the high efficiency of Thorn's emergency lighting products



TIME-SAVING

Easy installation, maintenance, testing and operation saves users time and money



BATTERY WARRANTY

In addition to the 5-year product warranty of our emergency luminaire range, Thorn now offers a new 3-year warranty for our emergency luminaire battery packs

CHOOSE GENUINE EMERGENCY LIGHTING PRODUCTS FROM THORN

The Thorn emergency lighting products are designed, tested and made specifically for the purpose of emergency lighting. With the electrician in mind, Thorn provides innovative, easy-to-use products that can save time and money during installation. Thanks to the flexible approach of every luminaire the product portfolio is easy to oversee and understand.

PRODUCT STANDARDS

With over forty years experience in emergency lighting manufacturing, Thorn only offers products that are designed, manufactured and tested to meet the latest European standards regarding safety and EMC, including:

EN 60598-1
EN 60598-2-22
EN 62471
EN 55015
ISO7010

Thorn produces specifically designed emergency luminaires to comply with these increasingly stringent requirements. Thorn only uses high-quality components, such as diffusers and batteries, to ensure optimum performance in all situations and full compliance with the full range of standards and regulations.

Thorn emergency fittings are tested in independent and internal test houses to make sure that these high quality standards can be achieved. Regulations on electromagnetic compatibility (EMC) state that luminaires should not emit or be susceptible to electro-magnetic radiation above certain designated levels. All Thorn emergency fittings comply with these requirements. In addition to providing ldt., Dialux and Relux files for our safety luminaires, we offer the spacing values. These spacing values make it very easy to plan the emergency lighting design scheme for your individual situation, even on-site.

European law requires that the person responsible for a building makes sure that people can safely leave the premises if the mains power fails, by putting in place emergency lighting that comes on automatically when a lighting circuit loses power. The law dictates the level of lighting required in the event of an emergency, as well as the visibility of exit signage and the time it takes for emergency luminaires to come on.

TYPES OF EMERGENCY LIGHTING

Emergency lighting falls into two categories; **emergency escape lighting**, which illuminates **exit routes** and **open-areas**, and **Standby lighting**.

- **Exit routes** must be clearly lit and sign-posted to make sure people can evacuate safely and in good time
- **Open-area** lighting is designed to reduce confusion and panic, while at the same time ensuring visibility of the nearest exit route.

Emergency Escape lighting also enables employees to shut down sensitive or potentially dangerous processes before evacuating the building.

Standby lighting allows normal activities to continue if the main lighting fails, for example in case of a short and unexpected power-cut (non-emergency).

Across our wide range of VOYAGER luminaires we have a solution for all the areas mentioned above.

TESTING OPTIONS

MAINTAINING YOUR EMERGENCY LIGHTING

Once an emergency lighting scheme is designed and installed, the person responsible for the building has a legal obligation to make sure that all the emergency luminaires will operate when required. Emergency light fittings must be regularly tested to confirm that they will operate when needed. As a pioneer in the field of emergency lighting, Thorn offers three different ways of testing emergency lighting:



CONTROL TEST


Emergency light fittings are controlled by a central system. This system automatically tests each luminaire and stores the results for analysis. Control test systems are the best way of ensuring a fully functional emergency lighting scheme, particularly in larger applications.

With selected models of Voyager, it is now possible to perform control tests wired and wirelessly.

Abbreviations for self-contained luminaires:




Abbreviations for central supplied luminaires:



AUTO TEST

All the emergency lights are equipped with an intelligent processor that automatically tests functionality and battery life. Results are shown by a two-colour LED indicator. Auto test is an ideal option for small to medium-sized applications.

Abbreviations for self-contained luminaires:



MANUAL TEST

A competent individual must perform a manual test of the functioning of each emergency fitting, before logging the results on a dedicated record sheet. This record needs to be stored securely and be ready for inspection by the relevant safety authorities of the region.

Abbreviations for self-contained luminaires:



CONTENTS

THORN EMERGENCY LIGHTING





SAFETY LUMINAIRES

10



SAFETY SIGN LUMINAIRES

36



ADAPTABLE SAFETY LUMINAIRES

24



SYSTEMS

58

A photograph of a person walking away from the camera down a modern, brightly lit corridor. The corridor has large glass walls on the right side, reflecting the interior lights. A large, semi-transparent yellow arrow points from the left towards the right, partially obscuring the person and the corridor. The text "SAFETY LUMINAIRES" is written in white, bold, sans-serif capital letters across the middle of the yellow arrow.

SAFETY LUMINAIRES

12 VOYAGER STAR



16 VOYAGER FIT



20 VOYAGER TWIN SPOT



VOYAGER

STAR





**Safety superstar with high performance,
flexibility and sustainability**

VOYAGER STAR



Safety Luminaire

Voyager Star is designed for an expansive range of indoor applications and can be used in a wide variety of mountings. As well as the unobtrusive recessed version, which integrates discreetly with ceilings, the compact luminaire is also available in a surface-mounted format, in addition to a variant that can be quickly and easily installed into Thorn's Contus track system.

BENEFITS



HIGH PERFORMANCE

Thanks to its specialised optics, Voyager Star sends light exactly where it is needed in the event of an emergency. Due to wide spacing values, luminaires can be saved when compared to other solutions and the overall project costs are reduced.




FLEXIBLE

Thanks to its three specialised optics; Anti-panic, Escape route and Spot (narrow beam), delivered with each luminaire, it is possible to decide on-site which optic is the perfect one for the specific luminaire location.















SUSTAINABLE

The latest Voyager Star product family uses emergency battery technology that's both lead and cadmium-free so the luminaire has less environmental impact. Added to this, all models feature a high efficiency LED and driver.




THORNLIGHTING.COM/VSTR

POWER SUPPLY

 3h	E1/3	 8h	E3/8
 3h + AUTOTEST	E1/3T	 8h + AUTOTEST	3/8T
 3h + AUTOTEST + DALI	E1/3D	 8h + AUTOTEST + DALI	E3/8D
 3h + BC (Wireless)	E1/3BC	 8h + BC (Wireless)	E3/8BC
 ECC		 + DALI	ECD
 + POWERLINE	ECP (eBox)	 + POWERLINE LOW VOLTAGE 48V DC	ELP (nBox)

MOUNTING



VOYAGER

FE



2x12-240V 50/60Hz
X 0 AEC EF 160
ta: 5°C...30°C
Made in UK
DALI
CE



Super compact, long-lasting,
easy to use.

VOYAGER FIT



Safety Luminaire

Voyager Fit is a super-compact emergency luminaire for flexible installation in and on ceilings. The recessed version is just 51 mm in diameter, requiring a ceiling hole of only 43 mm and a void height of just 80 mm. The surface mounted version is available in two heights. In cases of cable entries only from the back, it is just 32 mm high. Voyager Fit comes with three interchangeable lenses (antipanic, escape and spot), which can be rapidly fitted. The product features a lithium iron phosphate battery, which comes with three-year warranty.

BENEFITS



LONG-LASTING

Self-contained emergency luminaires rely on long-lasting batteries. Voyager Fit's high-tech lithium iron phosphate battery is robust and comes with a three-year warranty, providing the needed safety and giving users peace of mind.




SUPER SMALL

Working out where to install emergency luminaires in certain buildings can be a challenge. Voyager Fit is so small and because it only requires an 80 mm ceiling void it can be placed almost anywhere with very little impact on the appearance of ceilings. Voyager Fit can also be surface mounted. It is available in two colours, black and white, and with two housing heights, to achieve flexibility in many applications.



INTERCHANGEABLE LENSES

Voyager Fit's interchangeable lenses make it easy to get the light distribution you need in the actual situation on-site. Don't worry upfront about different needed variants, just fit the required lens once decided.



THORNLIGHTING.COM/VOYF

POWER SUPPLY



E3



E3T



E3D

MOUNTING



MRC



MSC



VOYAGER

FLAM



Flexible, durable, strong.



THORN

VOYAGER TWIN SPOT



Safety Luminaire


The Voyager Twin Spot features exceptional functionality. The components are enclosed in an IP65-rated housing that offers the best possible protection for every environmental condition. For convenient installation, there are prepared cable openings and well accessible terminals. In addition to the low weight, the Voyager Twin Spot can be configured for any application using the two adjustable light heads.

BENEFITS



THE LIGHTEST IN ITS CLASS

With changing the battery technology and a resulting weight of just 1.7 kg and a depth of 87 mm, Voyager Twin Spot is now one of the lightest and slimmest twin spot luminaires on the market, making installation easy for electrical contractors.



FLEXIBLE

Thanks to its two rotatable and tiltable LED light heads, Voyager Twin Spot can be customised to the needs of every application. Even if requirements change, the luminaire can be easily reconfigured without having to change or replace anything.



PROTECTED

Voyager Twin Spot is rated IP65 for protection against moisture and dust, so that it can be used in a variety of settings. A DALI version is also available for connection to emergency lighting systems such as LITECOM or SB128, for more sophisticated safety management.



THORNLIGHTING.COM/VOYT

POWER SUPPLY



E3



E3X


MOUNTING



MSW

Voyager Twin Spot Ant, Min 0.5 lx

head angle 45°			
h [m]	l [m]	b [m]	A [m2]
2.5	3.8	3.9	46.6
3	4	4.2	52.8
4	4.4	4.4	60.8
5	4.5	4.4	62.2
6	4.4	4.2	58.1
7	4.1	3.7	47.7
8	3.5	2.9	31.9



The values given are to be seen as reference values of the luminaire spacing and are not a basis for a lighting design. The lighting design of the luminaire must be carried out with Dialux or an equivalent program.



ADAPTABLE SAFETY LUMINAIRES

26 VOYAGER ONE




30 VOYAGER SOLID



VOYAGER

KEO





The only ONE.

VOYAGER ONE

With Voyager One, we have introduced a platform for emergency luminaires rather than a single luminaire. When delivered, the basic luminaire is an IP65 safety luminaire. It can easily be converted into a safety sign luminaire and also adapted to all possible conditions with optional accessories. Who says you need hundreds of article codes – you can get the job done with one luminaire.

BENEFITS



STYLE AND STRENGTH

Voyager One is an ultra-slim emergency luminaire that also achieves high levels of protection. The luminaire balances a simple blade appearance with IP65 protection against dust and moisture. Who says you can't have elegant design in demanding environments?



PRACTICAL

Thorn stands for quality and practical products. With this in mind, we make sure installation of luminaires is as simple as possible. The screw-free housing is easy to assemble, and accessories such as pictogram inserts and the recessed adapter can just be clicked in.



TWO BECOME ONE

As well as being a high-performing safety luminaire, Voyager One can also fulfil the requirements of a safety sign luminaire. It's two products in one.



THORNLIGHTING.COM/VOYO




Safety Luminaire




Safety Sign Luminaire



MOUNTING




POWER SUPPLY



ARROW DIRECTION ACCESSORY KIT

Suitable for single and double-sided use.



VOYAGER

SOLID



**The bulkhead that makes
emergency lighting easy.**



VOYAGER SOLID



THORNLIGHTING.COM/VYSO

Available in small or large versions with a consistent design, Voyager Solid provides an even, homogeneous light distribution. Easy to install and configure, Voyager Solid can be used as a recessed and surface mounted luminaire on walls and ceilings. The fitting is rated IP65 for use in a variety of locations. The Voyager Solid large variants with higher lumen packages can be used as safety luminaires at higher ceiling mountings and in special markets, where specific light outputs are requested. Voyager Solid's emergency pictograms are printed on inlets that are inserted and protected inside the luminaire.

BENEFITS




CHANGEABLE INLETS

Instead of being stuck on to the exterior of the fitting, Voyager Solid's pictograms are on inlets placed inside the luminaire, making them more durable, faster to exchange and more homogeneous in illumination.



MULTIPLE MOUNTINGS

Whatever type of building you're working in, and whatever variety of spaces you're dealing with, Voyager Solid provides a consistent solution from a single product. The luminaire can be used as a wall-mounted, ceiling-mounted or semi-recessed luminaire.



HIGH POWER OPTIONS

Regular testing of emergency lighting is vital in order to keep buildings safe and compliant with regulations. Tests can either be performed manually or through a self-test system. Voyager Solid is available in control test, auto test and manual test versions, and additionally as self-contained and central battery supplied versions.



Safety Luminaire



Safety Sign Luminaire



Does not fulfil DIN4844.

MOUNTING



MRC



MSC



MRW



MSW

POWER SUPPLY



E1/3



ECD



E1/3T



ECP



E1/3D



ECC




E1/3BC




ELP
(nBox)

ARROW DIRECTION ACCESSORY KIT

Suitable for single and double-sided use, depending on model.



FROM SAFETY



VOYAGER



VOYAGER

TO SAFETY SIGN

ONE



SOLID





SAFETY SIGN LUMINAIRES

38 VOYAGER STYLE



42 VOYAGER SIGMA



46 VOYAGER BLADE 2



50 VOYAGER SQUARE



VOYAGER

STYL





Stylish yet strong.

VOYAGER STYLE



THORNLIGHTING.COM/VYST



Safety Sign Luminaire

At just 37 mm thick, Voyager Style is slim and unobtrusive. Available in sizes to suit 23 m and 30 m recognition ranges. As well as self-contained versions it is also available for central battery systems. It can be easily mounted on ceilings or walls within the scope of delivery. With an adapter, recessed mounting is also possible for the sleekest possible look. Voyager Style is rated IP43* for protection against dust and moisture, making it a versatile solution.

*surface mounted versions

BENEFITS



ULTRA-SLIM

Voyager Style shows that emergency luminaires don't have to be bulky or obtrusive. At just 37 mm thick, this fitting can blend into any interior, and can be mounted in a variety of configurations. This luminaire is clear and bold when needed, while also being discreet.



POWER SUPPLY OPTIONS

Whether your emergency lighting system relies on self-contained luminaires or a central battery system, Voyager Style meets your needs. For self-contained systems, the three-hour versions of control test, auto test and manual are available.










SLEEK AND SIMPLE








The wide range of mounting options means Voyager Style can fit in wherever you need emergency light. The sleek mounting option makes for a particularly unobtrusive appearance especially when combined with the cord suspended pictogram.



POWER SUPPLY


 E3	
 E3T	 ECC
 E3D	 ECD
 ECS	 ECP

MOUNTING

	MRC
	MSC
	MSC-Cord25
	MSC-R05
	MS90°
	MSW
	CONTUS

ARROW LEGEND SET INCLUDED

Suitable for single and double-sided use.



VOYAGER

SIGMA





The electrician's choice.

VOYAGER SIGMA



THORNLIGHTING.COM/VSIG



Safety Sign Luminaire

Thorn offers the Voyager Sigma with electrical installers in mind, which is designed for simple and hassle-free installation. We provide a large terminal compartment, ready-to-insert pictograms and the placement of the electronics on a fold-out panel, just to name a few benefits. Voyager Sigma, therefore, reduces installation and maintenance effort and associated costs.



BENEFITS

PLENTY OF SPACE

Thanks to its large terminal compartment, Voyager Sigma is loved by electricians. The terminals are easy to reach and make for quick and hassle-free connection. Even over-length cables can be stowed comfortably inside the luminaire.

EASY PICTOGRAM MOUNTING

Protected inside the luminaire, the pictogram inlets according to ISO 7010 are easy to install and change if required. The cover can be opened without tools and the pictograms can therefore be fitted very quickly and precisely.

EASY ACCESS ELECTRONICS

The electronics and the battery are mounted on a fold-out panel, making commissioning and maintenance easier, as the different components can simply be folded in and out. To fold-out the panel only one screw needs to be loosened.



MOUNTING



MSW

POWER SUPPLY




E3



E3D

ARROW LEGEND DIRECTION ACCESSORY

Choose the arrow direction for your location. Suitable for single-sided use.





BLA



Sleek and simple.

VOYAGER DE 2

VOYAGER BLADE 2



THORNLIGHTING.COM/VOB2




Safety Sign Luminaire



Wireless communication variants available

Voyager Blade 2's versatile base housing is robust and easy to mount on walls and ceilings. The base housing is identical for both 23 m and 30 m recognition ranges reducing the complexity to identify the right accessory for different mounting options such as recessed installation or suspension. Extending the flexibility even further all pictograms (Up, Left, Right, Down) are included in the scope of delivery.

BENEFITS



FLEXIBLE MOUNTING

One luminaire, several mounting options. Thanks to its smart housing concept, the Voyager Blade 2 can be flexibly surface mounted to a ceiling or wall without an adapter.




CHOOSE ON-SITE

Are different autonomy durations needed because of local requirements? Voyager Blade 2 is the perfect choice, offering a selectable autonomy duration of 1/3 hours for all self-contained versions by changing the DIP switch or jumper setting. The working mode, maintained or non-maintained, is also selectable.




SLIM FORMAT WITH GREAT LIGHT DISTRIBUTION







The very thin acrylic frame is almost invisible from the side, but offers a homogeneous appearance from the front due to a special print with a gradient that diffuses the light optimally.



POWER SUPPLY


	E1
	E3
	E1T
	E3T
	E3D
	E3BC
	ECD
	ECP
	ECC
	ELP (nBox)

MOUNTING

	MRC
	MSC
	MSC - CORD25
	MSW
	MS90°
	CONTUS

ARROW LEGEND SET INCLUDED

Suitable for single and double-sided use.



SQU

Strong, smooth and
highly protected.

VOYAGER

ARE



VOYAGER SQUARE



THORNLIGHTING.COM/VYSQ



Safety Sign Luminaire


Voyager Square is a robust wall-mounted exit sign that can be used for many applications thanks to its IP65 protection and IK10 rating. The square shaped exit sign can be seen from up to 44 m distance which makes it suitable for many applications like production halls, logistics, car parks or DIY stores. Mounting, maintenance, and cleaning can be done at minimum effort. Voyager Square comes in two types. Self-contained luminaires with Autotest/DALI-test function and central battery versions. The self-contained versions are operated by lithium iron phosphate batteries. Thanks to the integrated PROset functionality, the luminaires can be addressed, configured and maintained easily over NFC via the PROset Pen or PROset App. With a luminance level of 500 cd/m² in the white area, Voyager Square fulfils also the highest standards regarding illumination (acc. to DIN 4844).

BENEFITS



SUSTAINABLE LUMINAIRE

The newest lithium iron phosphate batteries ensure a long-lasting, cadmium free operation of the luminaire. If needed, components like ballast and battery can be easily exchanged.



ROBUST AND FLEXIBLE

Voyager Square is very robust and can therefore be used for many applications. It is moisture and dust resistant (IP65) and has an extremely high impact strength (IK10 rating). The diffuser and luminaire body are made from polycarbonate. The material uses a UV stabiliser, is heat resistant and flame retardant.



CONVENIENT COMMISSIONING AND MAINTENANCE

Thanks to an integrated NFC interface, the luminaires can be addressed and configured seamlessly. Just select the right address and switching mode over the PROset Pen or PROset App, hold it to the ballast, and the luminaire is configured. Over the PROset App, additional features are available, like setting a dim level or reading out the blackbox data.



POWER SUPPLY



E1D



E3D



ECD



ECP



ECC


MOUNTING



MSW

ARROW DIRECTION OPTIONS

The luminaire comes with a defined arrow direction, suitable for single-sided use.




VOYAGER PORTFOLIO OVERVIEW

SAFETY LUMINAIRES



Voyager Star

High performance, flexibility
and sustainability



Voyager Fit

Super compact, long-lasting,
easy to use.

Industrial IP65



Voyager One

The only ONE.



Voyager Solid

The bulkhead that makes
emergency lighting easy.



Voyager Twin Spot

Flexible, durable, strong.

SAFETY SIGN LUMINAIRES



Voyager Style

Stylish yet strong.



Voyager Sigma

The electrician's choice.



Voyager Blade 2

Sleek and simple.



Voyager One

The only ONE.



Voyager Square















Strong, smooth and highly protected.









Voyager Solid

The bulkhead that makes emergency lighting easy.

MOUNTING OPTIONS

SAFETY LUMINAIRES						
						
		Voyager STAR	Voyager FIT	Voyager Twin Spot	Voyager One	Voyager Solid
MRC Mounting recessed ceiling		•	•		•	•
MSC Mounting surface ceiling		•			•	•
MSC-C15 Mounting ceiling chain suspension 1.5 m						
MSC-Cord25 Mounting surface ceiling cord suspension 2.5 m					•	
MSC-R05 Mounting surface ceiling rod suspension 0.5 m					•	
MS90° Mounting surface wall 90°					•	
MRW Mounting recessed wall						•
MSW Mounting surface wall				•	•	•
CONTUS Voyager mounted from Thorn Contus trunking		•			•	

SAFETY SIGN LUMINAIRES					
					
Voyager One	Voyager Solid	Voyager Style	Voyager Sigma	Voyager Blade 2	Voyager Square
•	•	•		•	
•	•	•		•	
•		•		•	
•		•		•	
•	•				
•	•	•	•	•	•
•		•		•	

The scope of delivery of the safety sign luminaires differ. This table does not list any accessories that may be required. Accessories may not be available in all countries. Further information can be found in the data sheets of the respective luminaire.

A close-up photograph of a person's hand hovering just above a tablet device. The hand is positioned as if about to touch the screen. A large, semi-transparent blue arrow points from the bottom left towards the top right, passing behind the hand and the tablet. The word "SYSTEMS" is written in white, bold, sans-serif capital letters across the middle of the arrow.

SYSTEMS

60 LITECOM / emCON



64 nBOX



66 eBOX




67 CPS



MONITORING







Emergency lighting control
at your fingertips.

LITECOM emCON

Self-contained emergency lighting systems have one feature in common: the battery that is integrated into every luminaire. This key component provides the fitting with power in the event of an emergency, helping to minimise panic, ensure the safe evacuation of the site and illuminate the escape route. This system is the perfect solution for smaller and medium-sized properties. Economic efficiency and high levels of safety make single battery systems with an emergency power supply of 1, 2, 3 or 8 hours a favourable option.





ZUMTOBEL.COM/LITECOM

SUPPORTED POWER SUPPLIES





E1D



E3D



E3X




LITECOM WITH LITECOM APP FOR EMERGENCY LUMINAIRES

The small and modular LITECOM control system is extremely future-proof and space-saving in the control cabinet. With the help of the LITECOM "Emergency lighting" app, the configuration and maintenance of emergency lighting has never been easier. LITECOM monitors the system and automatically logs the test results in the internal test log. Mixed operation with general lighting is also possible here.

emCON CONTROLLER

Based on the powerful LITECOM architecture, the emCON controller is specialist technology for monitoring and controlling self-contained emergency luminaires. Up to 192 safety (sign) luminaires can be monitored per emCON controller.



emLINK SOFTWARE

The emLINK software is recommended for larger systems with more than 192 safety (sign) luminaires. With this solution, up to 200 emCON controllers can be linked and centrally managed and monitored.

SUPPORTED POWER SUPPLY



E3BC



WIRELESS COMMUNICATION AS A PROBLEM SOLVER

LITECOM and emCON can now also integrate emergency luminaires wirelessly, with the help of the basicDIM Wireless DALI gateway. Up to 64 luminaires can be controlled per gateway. Up to 3 gateways are possible per controller. Mixed operation with general lighting is also possible.

A group battery system with product dimensions as small as this is rare. Yet the nBox effortlessly outshines similar systems. With 48 V low voltage, state-of-the-art communication technologies and mobile apps, technical variety is seen in its best light: Secure. Simple. And reliable.

SUPPORTED POWER SUPPLY



+ POWER IN
LOW VOLTAGE
48V DC

ELP

nBox





ZUMTOBEL.COM/NBOX



The eBox is a central battery system optimised for use with efficient LED technology. Energy consumption as well as the number of batteries required have been reduced to a minimum. Due to its modular design, the number of possible output circuits is increased, providing the system with maximum flexibility in order to adjust supply perfectly to each building's requirement.

SUPPORTED POWER SUPPLIES



ECC



ECD



ECP

eBox





ZUMTOBEL.COM/CENTRAL

Set

This central battery installation, which is a modular system, adjusts to any specific project and exactly meets the customer's requirements. The system communicates via Set 009, which means that each Set 009 emergency luminaire can be individually monitored and controlled. Other benefits of CPS include minimum maintenance effort, fail-safe data communication and no need for additional communication modules in the luminaires.

SUPPORTED POWER SUPPLIES



+ DALI

ECD



+ POWERLINE
SET 009

ECS



ECC



ABBREVIATIONS EMERGENCY LIGHTING

VOYAGER STAR P	MRCR	ESC	E1D	SR
Product range	Installation type	Light distribution	Power supply variant	Colour

MOUNTING

M	R	C	R	-X
---	---	---	---	----

Installation type Surface type Remote box option

R Recessed	C Ceiling	R Remote box
S Surface-mounted	W Wall	
SR Semi-recessed	□ Flexible	
Sxx Surface-mounted xx° (wall)		

CON Contus continuous row system


OPTIONS

BP	Ball-Proof
CCS	Concrete Casting Surround
QC	Quadratic Cover
FCC	Frame Cable Ceiling
FCW	Frame Cable Wall
FSR	Frame Suspended to Recessed (mounting frame)

TYPE OF SUSPENSION XX LENGTH


WFxx Wire feed cord suspension (power supply via cord)
CORDxx Cord (with separate power cable)
Cxx Chain
Rxx Rod-pendant luminaires

RECESSED




MRC

SURFACE-MOUNTED




MSC


PENDANT



MSC-C15




MSC-Cord25




MSC-R05


WALL



MS90°




MRW



MSW

TRUNKING



CONTUS

POWER SUPPLY VARIANTS

E	1	D	-X
---	---	---	----

Duration time /
supply version

1 1 hour self-contained
3 3 hours self-contained
8 8 hours self-contained
C Central battery 230 V
L Central battery low voltage 48 V DC

Communication

□ No communication/ manual test
T Auto test
X DALI (without auto test – in combination with self- contained)
D DALI (incl. auto test – in combination with self- contained)
BC RF communication with basicDim Wireless technology
P Powerline
C Circuit monitoring
S Set009 Powerline (CPS)

SWITCHING MODES

M Maintained
NM Non-maintained
□ Both possible

SWITCHABLE VIA L'

S Switchable via L'
□ Not switchable via L'
H Battery heating

SINGLE BATTERY



E1D
E1T
E1
E1BC



E3D
E3T
E3
E3X
E3BC



E8D
E8T
E8
E8BC

CENTRAL BATTERY



ECD



ECP



ECC





ECS




ELP (nBox)
+ Powerline
low voltage
48 V DC


VOYAGER STYLE	MS	E3-S	SM-S
Product generation	Installation type	Power supply variant	Safety sign version

SAFETY SIGNS

S*	M	□	-	S
	Type of pictogram	One-sided/ double-sided	ISO 7010	Direction of the arrow
	M Escape signs mounted	1 one-sided	 E001	UP
	P Escape signs printed	2 double-sided	 E002	D
		□ one- or double-sided available (in combination with M)		L
				R
				S Pictogram set included at SM (with UP, D, L, R, white)
	*S (Safety sign): E001/E002 according to ISO7010			



LIGHT DISTRIBUTION



ANT (HP) antipanic (high performance)
ANT HC antipanic high ceilings
ESC (HP) escape (high performance)
ESC HC escape high ceilings

ESC90 (HP) escape 90° (high performance)
ESCW escape wall
ESCB escape beam
Spot (HP) spot (high performance)

THORN
LIGHTING

GET IN TOUCH

www.thornlighting.com/contact

WE
MAKE
LIGHT
WORK

04/2025